
The Scaffold Tool & Training Company

SCAFFOLD COUPLERS, JOINERS, FITTINGS, CLAMPS & COMPONENTS





ORDER ON LINE OR OVER THE PHONE www.thescafftoolco.com.au | 1300 551 610

Updated July 2019

Page 2

COUPLERS, JOINERS & COMPONENTS (FITTINGS)

An extensive range scaffolding couplers, joiners and components

All fittings must be marked with the manufacturer's or supplier's name or trademark and a code traceable to a manufacturing batch in accordance with Australian Standards AS1576.2-2009. If the items you're after is not listed, contact us and endeavor to obtain it for you.



90 Degree Coupler

Also known as 90's, doubles or right angle couplers (RAC), 90's have a SWL of 630kg, to fit 48mm tube.

> Price: \$8.80 Code: SF01



Beam Clamp

Also known as a girder clamp, beamies or gravlocks. Used to attach scaffold tube to supporting I beams, must be used in pairs.

Price: \$13.20 Code: SF08



Board Retainer (Toe Board Clip) Used to retain wooden kick boards.

For joining standards side-by-side

Price: \$8.80 Code: SF07

Price: \$9.90

Price: \$12.00

Price: \$8.80

Price: \$9.90

Code: SF05

Code: SF04

Code: SF14



Butterfly Clip

Another type of putlog coupler, the 'wings' clamp together when nut is wound up allowing boards to sit flat on the putlogs.

> Price: \$8.80 Code: SF13

External Joiner

Used to join tube vertically or horizontally. Fits externally over the tube, designed to fit 48mm tube.

> Price: \$9.90 Code: SF10



Hoarding Coupler Used to attach plywood hoarding

(sheeting) to the scaffold

For single pole scaffolds

Double C Clip

(back-to-back)



Code: SF11 **Putlog Blade**



Internal Joiner

Used to join tube vertically or horizontally. Fits inside the scaffold tube (not to be used for hung standards).

> Price: \$9.90 Code: SF09

Putlog Coupler

Also known as singles, pigs ears or pork chops putlog is a tube which supports a plank or board and holds the putlog to the ledger.

> Price: \$8.80 Code: SF03



Mills Hook

Can be used as a putlog coupler or to retain wooden kickboards or the ladder.



Swivel Coupler


Used to fix braces to scaffolding, to fit 48mm tube with a SWL of 510kg

> Price: \$8.80 Code: SF02



The Scaffold Tool & Training Company | All prices include GST | © 2016

Page 3



End Braces

Toe Board Clip - for steel

boards

Also known as transverse braces or dog leg brace





Grasper Repair Kit



To repair graspers on the braces. Each kit consists of:

1 x Spring, 1 x Split Pin, 1 x Washer & 1 x L-Pin.

Price: **\$5.50** Code: RepairKit

Ladder Access Walk Thru Frame No longer do you need to climb over braces to access the ladder

For use with mobile and static scaffolds, constructed from high grade structural aluminium 6061T.



SCAFFOLD SYSTEMS

Practical and transportable folding scaffold systems to make any job safer than using unreliable ladders. If the job required the use both hands, use of heavy work tools, the need to over-reach which could result in overbalancing or required to work on for a long periods of time causing fatigue then you need to protect yourself and your workers by providing a stable working platform.



FlatPack Fibreglass Folding Scaffold

Ideal for electrical environments, inert with no conductivity to electricity or reaction to chemicals.

> Price: **\$830** *Code: SS01*



FlatPack Aluminium Folding Scaffold

Quality, lightweight and transportable, fully bolted deck with anti-slip decking, 225kg safe working load.

> Price: **\$730** *Code: SS02*

Aluminium Planks 230mm x 50mm

2.4mm = \$84.50, 3.0mm = \$105.60 4.0mm = \$140.80, 5.0mm = \$176.00 6.0mm = \$211.20

> Price: Various Code: SS03



200mm (8") Scaffold Wheel, 700kg SWL

Colour coded on/off rocker foot brake, fits tube sizes 48-50 8mm. Large adj handle, robust construction, non marking neoprene wheel. Price: **\$150** *Code: \$S04*



LADDER SYSTEMS

Ensure you are using the right type of ladder on site, only industrial grade ladders may be used with scaffolding.

Single Industrial Extension Ladder

Lightweight 140kg industrial grade aluminium. Strong roll-lock D-rungs, non-slip, non-marking feet.

 $\begin{array}{ll} 2.4m & (5.7kg) = \$150, \\ 3.1m & (7.4kg) = \$170, \\ 4.3m & (9.9kg) = \$215, \\ 4.9m & (11.6kg) = \$240, \\ 6.1m & (13.4kg) = \$300 \end{array}$

